


3. Google Colab – Your First Colab Notebook

In this chapter, you will create and execute your first trivial notebook. Follow the steps that have been given wherever needed.


Note: As Colab implicitly uses Google Drive for storing your notebooks, ensure that you are logged in to your Google Drive account before proceeding further.

Step 1: Open the following URL in your browser: <https://colab.research.google.com>

Your browser would display the following screen (assuming that you are logged into your Google Drive):




Step 2: Click on the **NEW PYTHON 3 NOTEBOOK** link at the bottom of the screen. A new notebook would open up as shown in the screen below.



As you might have noticed, the notebook interface is quite similar to the one provided in Jupyter. There is a code window in which you would enter your Python code.

Setting Notebook Name

By default, the notebook uses the naming convention **UntitledXX.ipynb**. To rename the notebook, click on this name and type in the desired name in the edit box as shown here:



We will call this notebook as **MyFirstColabNotebook**. So type in this name in the edit box and hit ENTER. The notebook will acquire the name that you have given now.

Entering Code


You will now enter a trivial Python code in the code window and execute it.

Enter the following two Python statements in the code window:

```
import time
print(time.ctime())
```

Executing Code


To execute the code, click on the arrow on the left side of the code window.



After a while, you will see the output underneath the code window, as shown here:

```
Mon Jun 17 05:58:40 2019
```

You can clear the output anytime by clicking the icon on the left side of the output display.




Adding Code Cells

To add more code to your notebook, select the following **menu** options:

Insert / Code Cell

Alternatively, just hover the mouse at the bottom center of the Code cell. When the **CODE** and **TEXT** buttons appear, click on the CODE to add a new cell. This is shown in the screenshot below:



A new code cell will be added underneath the current cell. Add the following two statements in the newly created code window:

```
time.sleep(5)
print (time.ctime())
```

Now, if you run this cell, you will see the following output:

```
Mon Jun 17 04:50:27 2019
```


Certainly, the time difference between the two time strings is not 5 seconds. This is obvious as you did take some time to insert the new code. Colab allows you to run all code inside your notebook without an interruption.

Run All

To run the entire code in your notebook without an interruption, execute the following menu options:

Runtime / Reset and run all...

It will give you the output as shown below:



Note that the time difference between the two outputs is now exactly 5 seconds.

The above action can also be initiated by executing the following two menu options:

Runtime / Restart runtime...

or

Runtime / Restart all runtimes...

Followed by

Runtime / Run all

Study the different menu options under the **Runtime** menu to get yourself acquainted with the various options available to you for executing the notebook.

Changing Cell Order

When your notebook contains a large number of code cells, you may come across situations where you would like to change the order of execution of these cells. You can do so by selecting the cell that you want to move and clicking the **UP CELL** or **DOWN CELL** buttons shown in the following screenshot: